SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Commercial Product Name

Bauder LiquiDETAIL W Colour 7031 10kg

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	fluid plastic sealing
Recommended restrictions	Reserved for industrial and professional use.

1.3 Details of the supplier of the safety data sheet

Company designation	Bauder Ltd. 70 Landseer Road
	Ipswich IP3 0DH Telephone: +44 (0)1473 257671
E-mail (competent person)	info@bauder.co.uk

1.4 Emergency telephone number

NPIS (National Poisons Information Service): 0344 892 0111 (for medical professionals only). For medical advice, members of the public should contact NHS 111

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 Flam. Liq. 2; H225 Skin Irrit. 2; H315 Skin Sens. 1; H317 STOT SE 3; H335

2.2 Label elements

Hazard pictogram

Signal word

Hazardous component(s) to be indicated on label

H-statement(s)





Danger

methyl methacrylate , 2-ethylhexyl acrylate , Fatty acids, C18-unsatd., dimers reaction products with N,N-dimethyl-1,3-propanediamine and 1,3-propanediamine , 2,2'-[(4-methylphenyl)imino]bisethanol

H225: Highly flammable liquid and vapour.

H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

Commercial Product Name: Bauder LiquiDETAIL W Colour 7031 10kg Article-No.: GB81002042 Revision Date: 11.03.2022 Version: 2.0/en Replaces version from: 21.09.2018 Print date: 11.03.2022

* P-statement(s)

H335: May cause respiratory irritation.

P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P261: Avoid breathing dust/fume/gas/mist/vapours/spray.

P264: Wash thoroughly after handling.

P280: Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

P312: Call a POISON CENTER/doctor if you feel unwell.

P333+P313: If skin irritation or rash occurs: Get medical advice/attention.

P362+P364: Take off contaminated clothing and wash it before reuse.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical characterization

Mixture with reactive acrylates

Hazardous ingredients

Ingredient	Numbers	Classification (EC) 1272/2008	Concentration
methyl methacrylate	CAS No.: 80-62-6 EC-No.: 201-297-1 Index-No.: 607-035-00-6REACH No.: 01-2119452498-28-XXXX	Flam. Liq. 2; H225 STOT SE 3; H335 Skin Irrit. 2; H315 Skin Sens. 1;H317	15.0 - 20.0 % by weight
2-ethylhexyl acrylate	CAS No.: 103-11-7 EC-No.: 203-080-7 Index-No.: 607-107-00-7REACH No.: 01-2119453158-37-XXXX	Skin Irrit. 2; H315 Skin Sens. 1; H317 STOT SE 3; H335 Aquatic Chronic 3; H412	10.0 - 15.0 % by weight
aliphatic urethanacrylate		Skin Irrit. 2; H315 Eye Irrit. 2; H319	5.0 - 10.0 % by weight
Fatty acids, C18-un- satd., dimers reaction products with N,N-di- methyl-1,3-propanedi- amine and 1,3-propanedi- amine	CAS No.: 162627-17-0 EC-No.: 605-296-0REACH No.: 01-2119970640-38-XXXX	Skin Sens. 1A; H317	0.1 - 1.0 % by weight
2,2'-[(4-methylphenyl)imi- no]bisethanol	CAS No.: 3077-12-1 EC-No.: 221-359-1REACH No.: 01-2120791684-40-XXXX	Acute Tox. 4; H302 Eye Dam. 1; H318 Skin Sens. 1; H317 Aquatic Chronic 3; H412	0.1 - 1.0 % by weight
1,1`-(p-Tolylimi- no)dipropan-2-ol	CAS No.: 38668-48-3 EC-No.: 254-075-1REACH No.: 01-2119980937-17-XXXX	Acute Tox. 2; H300 Eye Irrit. 2; H319 Aquatic Chronic 3; H412	0.1 - 1.0 % by weight

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice

Move out of dangerous area. Take off all contaminated clothing immediately. Do not leave the victim unattended. Show this safety data sheet to the doctor in attendance.

Article-No.: GB81002042 Revision Date: 11.03.2022 Version: 2.0/en



If inhaled	Move to fresh air. If symptoms persist, call a physician. Show this safety data sheet to the doctor in attendance.
In case of skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. If skin irritation occurs, seek medical advice/attention.
In case of eye contact	In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
If swallowed	Rinse mouth. Do NOT induce vomiting. Call a physician immediately.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media	Carbon dioxide (CO2), Foam, Water spray, Dry powder
Extinguishing media which mustnot	High volume water jet
be used for safety reasons	

5.2 Special hazards arising from the substance or mixture

5.3 Advice for firefighters	In the event of fire, wear calf contained breathing apparatus
Special exposure hazards arising from the substance or preparation itself, its combustion products, or released gases	Hazardous decomposition products formed under fire conditions. Violent polymerization may be caused by: Extremes of temperature anddirect sunlight.

In the event of fire, wear self-contained breathing apparatus.

Special protective equipment for	
firefighting	Fire residues and contaminated fire extinguishing water must be dis- posed of
Additional information on fire-	in accordance with local regulations. Do not allow run-off fromfire fighting to
fighting	enter drains or water courses.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Personal precautions Ensure adequate ventilation. Vapours are heavier than air and mayspread along floors.

6.2 Environmental precautions

Environmental precautions Prevent further leakage or spillage if safe to do so. Do not flush into surface water or sanitary sewer system. Avoid subsoil penetration.

6.3 Methods and material for containment and cleaning up Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).Clean contaminated surface thoroughly. 6.5 Additional information Other information Treat recovered material as described in the section "Disposal considerations". SECTION 7: Handling and storage 7.1 Precautions for safe handling Advice on safe handling Handle and open container with care. Avoid contact with skin and eyes. Processing may lead to evolution of flammable volatiles. In case of insufficient ventilation, wear suitable respiratory equipment. Keep product and empty container away from heat and sources of ignition. Precautions Smoking, eating and drinking should be prohibited in the application area. For personal protection see section 8. Observe label precautions. Advice on protection against fireand Take precautionary measures against static discharges. Vapours may form explosive mixture with air. Use water spray to cool unopened containers. explosion 7.2 Conditions for safe storage, including any incompatibilities Storage space and container re-Keep in properly labelled containers. Containers which are opened mustbe carefully resealed and kept upright to prevent leakage. quirements Store in accordance with the particular national regulations. Keep in acool, well-ventilated place. **TRGS 510** 3

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

methyl methacrylate

Great Britain				
Long-term exposure	Long-term exposure	Short-term exposure	Short-term exposure	Source
value/ ppm	value/ mg/m3	value / ppm	value / mg/m3	
50	208	100	416	EH40/2005 Workplace
				exposure limits (2011)

Europe				
Long-term exposure value/ ppm Short-term exposure value / ppm Issuing date Source				
50	100	2009/161	DIRECTIVE 2009/161/EU	

Commercial Product Name: Bauder LiquiDETAIL W Colour 7031 10kg Article-No.: GB81002042 Revision Date: 11.03.2022 Version: 2.0/en

making roofs secure. Replaces version from: 21.09.2018 Print date: 11.03.2022

BAUDER

DNEL	Target group	Exposure route	Exposure frequency	Source
210 mg/m ³	Workers	Inhalation	Long term effects Local	Company data
210 mg/m ³	Workers	Inhalation	Long term effects systemic	Company data
1,5 mg/cm ²	Workers	Skin	Long term effects Local	Company data
13,67 mg/kg	Workers	Skin	Long term effects systemic	Company data
105 mg/m ³	Consumers	Inhalation	Long term effects Local	Company data
74,3 mg/m³	Consumers	Inhalation	Long term effects, systemic	Company data
1,5 mg/cm ²	Consumers	Skin	Long term effects Local	Company data
8,2 mg/kg	Consumers	Skin	Long term effects systemic	Company data
1,5 mg/cm ²	Consumers	Skin	Short-term effects Local	Company data

PNEC	Exposure route	Source
0,94 mg/l	freshwater	Company data
0,094 mg/l	marine water	Company data
5,74 mg/kg	sediment	Company data
1,47 mg/kg	Soil	Company data

2-ethylhexyl acrylate

DNEL	Target group	Exposure route	Exposure frequency	Source
37,5 mg/m ³	Workers	Inhalation	Long term effects Local	Company data
0,242 mg/cm ²	Workers	Skin	Long term effects Local	Company data
0,242 mg/cm ²	Workers	Skin	Short term effects Local	Company data
4,5 mg/m ³	Consumers	Inhalation	Long term effects Local	Company data

PNEC	Exposure route	Source
0,002752 mg/l	fresh water	Company data
0,000272 mg/l	seawater	Company data
2,3 mg/l	wastewater treatment plant	Company data
0,126 mg/kg	sediment Water	Company data
0,126 mg/kg	sediment seawater	Company data
1,0 mg/kg	Soil	Company data
0,0023 mg/kg	Intermittent release.	Company data

2,2'-[(4-methylphenyl)imino]bisethanol

DNEL	Target group	Exposure route	Exposure frequency	Source
0,47 mg/kg	Workers	dermal exposure	Long term effects	Company data
			systemic	

PNEC	Exposure route	Source
0,003 mg/l	seawater	Company data
0,121 mg/kg	freshwater sediment	Company data
0,026 mg/l	freshwater	Company data
0,012 mg/kg	marine sediment	Company data
10 mg/l	Waste water treatment	Company data
0,009 mg/kg	soil	Company data

Safety Data Sheet as per regulation (EC) 1907/2006 Commercial Product Name: Bauder LiquiDETAIL W Colour 7031 10kg Article-No.: GB81002042 Revision Date: 11.03.2022 Version: 2.0/en

1,1`-(p-Tolylimino)dipropan-2-ol

DNEL	Target group	Exposure route	Exposure frequency	Source
2 mg/m ³	Workers	Inhalation	Long term effects	Company data
0,6 mg/kg	Workers	Skin	Long term effects	Company data

PNEC	Exposure route	Source
199,5 mg/l	Waste water treatment	Company data
0,0072 mg/kg	marine water	Company data
0,017 mg/l	freshwater	Company data

8.2 Exposure controls

Respiratory protection	Use the indicated respiratory protection if the occupational exposure limit is exceeded and/or in case of product release (dust). Vapour during processing may be irritating to the respiratory tract and to the eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.	
Remarks	Recommended Filter type: A1, A2 (in case of higher concentration)	
Hand protection	Protective gloves complying with EN 374.Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.	
Unsuitable material	woven fabric, Leather gloves	
Suitable material	Nitrile	
Eye protection	Tightly fitting safety goggles	
Skin and body protection	Wear suitable protective equipment. Long sleeved clothing	
General protective and hygiene measures	Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Wash hands before breaks and at the end of workday. Use protective skin cream be-fore handling the product. Avoid contact with the skin and the eyes.	
Engineering measures	Ensure adequate ventilation, especially in confined areas. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.	

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	liquid
Form	Liquid

Commercial Product Name: Bauder LiquiDETAIL W Colour 7031 10kg Article-No.: GB81002042 Revision Date: 11.03.2022 Version: 2.0/en



Colour	different color-tone
Odour	typic for acrylates
Boiling point [°C]	>100 °C
Flash point [°C]	10 °C
Evaporation rate [kg/(s m²)]	not determined
Explosion limits [Vol-%]	methyl methacrylate
Lower limit	1,7 vol. %
Upper limit	12,5 vol. % 2-ethylhexyl acrylate
Lower limit	0,9 vol. %
Upper limit	6,4 vol. %
Remarks	The product itself has not been tested.
Vapour density	not determined
Density [g/cm ³]	1,33 g/cm ³
Water solubility [g/l]	
Remarks	insoluble
Partition coefficient n-octanol /water (log P O/W)	not determined
Autoignition temperature [°C]	not determined
Viscosity, dynamic [kg/(m s)]	40000 mPa.s
Temperature [°C]	20 °C
Measuring method	Haake-Viscotester
Explosive properties	Not relevant In use, may form flammable/explosive vapour-air mixture.
Oxidising properties	Not relevant
9.2 Other information	
Ignition temperature [°C]	280 °C

SECTION 10: Stability and reactivity

10.3 Possibility of hazardous reactions

Hazardous reactions The product is normally supplied in a stabilized form. If the permissible storage period and/or storage temperature is noticeably exceeded, the product may polymerize with heat evolution. Risk of receptacle bursting.

10.4 Conditions to avoidExtremes of temperature and direct sunlight.Conditions to avoidExtremes of temperature and direct sunlight.10.5 Incompatible materialsReacts violently with peroxides. Reducing agents, Strong bases, Amines, Oxidizing agents

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Oral toxicity [mg/kg]

Hazardous ingredients

methyl methacrylate				
Value	Test criterion	Test species	Measuring	Source
			method	
>5001 mg/kg	LD50	rat	OECD Test Guideline 401	Company data

2-ethylhexyl acrylate			
Value	Test criterion	Test species	Source
4435 mg/kg	LD50	rat	Company data

aliphatic urethanacrylate				
Value	Test criterion	Test species	Source	
>2001 mg/kg	LD50	rat	Company data	

Fatty acids, C18-unsatd., dimers reaction products with N,N-dimethyl-1,3-propanediamine and 1,3- propanediamine				
Value Test criterion Test species Measuring Source method				
>10000 mg/kg	LD50	rat	OECD Test	Company data

2,2'-[(4-methylphenyl)imino]bisethanol			
Value	Test criterion	Test species	Source
959 mg/kg	LD50	rat	Company data

1,1`-(p-Tolylimin	o)dipropan-2-ol			
Value	Test criterion	Test species	Measuring method	Source
26 mg/kg	LD50	rat	OECD Test Guideline 423	Company data

Dermal toxicity [mg/kg]

Hazardous ingredients

methyl methacrylate

Guideline 401

Commercial Product Name: Bauder LiquiDETAIL W Colour 7031 10kg Article-No.: GB81002042 Revision Date: 11.03.2022 Version: 2.0/en

making roofs secure. Replaces version from: 21.09.2018 Print date: 11.03.2022

BAUDE

Value	Test criterion	Test species	Source
>5001 mg/kg	LD50	rabbit	Company data

2-ethylhexyl acrylate			
Value	Test criterion	Test species	Source
7522 mg/kg	LD50	rabbit	Company data

2,2'-[(4-methylpher	yl)imino]bisethanol		
Value	Test species	Measuring method	Source
>2001 mg/kg	rat	OECD Test Guideline 402	Company data

1,1`-(p-Tolylimino)dipropan-2-ol			
Value	Test criterion	Test species	Source
2001 mg/kg	LD50	rat	Company data

Inhalative toxicity [mg/l]

Hazardous ingredients

2-ethylhexyl acrylate		
Value	Test species	Source
1,19 mg/l	rat	Company data

LC50 Inhalation 4h for vapours [mg/l]

Hazardous ingredients

methyl methacrylate			
Value	Test criterion	Test species	Source
29,8 mg/l	LC50	rat	Company data

Irritant effect on skin

Hazardous ingredients

methyl methacrylate		
Value	Test species	Source
irritating	rabbit	Company data

2-ethylhexyl acrylate			
Value	Test species	Exposure duration [h]	Source
Skin irritation	rabbit	4 h	Company data

aliphatic urethanacrylate		
Value	Source	
May cause skin irritation.	Company data	

Fatty acids, C18-unsatd., dimers reaction products with N,N-dimethyl-1,3-propanediamine and 1,3-				
propanediamine				
Value	Measuring method	Test species	Source	

Safety Data Sheet as per regulation (EC) 1907/2006 Commercial Product Name: Bauder LiquiDETAIL W Colour 7031 10kg Article-No.: GB81002042 Revision Date: 11.03.2022 Version: 2.0/en

BAUDER making roofs secure. Replaces version from: 21.09.2018 Print date: 11.03.2022

No skin irritation	OECD Test Guideline	rabbit	Company data
	404		
2,2'-[(4-methylpheny			
Value	Test species		Source
No skin irritation	rabbit		Company data
1,1`-(p-Tolylimino)di	propan-2-ol		
Value		Source	
No skin irritation		Company data	
effect on eyes zardous ingredients			
methyl methacrylate			
Value	Test species		Source
Irritant	rabbit		Company data
2-ethylhexyl acrylate			
Value	Measuring method	Test species	Source
slightly irritating	OECD Test Guideline 405	rabbit	Company data
aliphatic urethanacr	ylate		
Value		Source	
Causes serious eye irrita	ition.	Company data	
propanediamine			I-1,3-propanediamine and 1,3
Value	Measuring method	Test species	Source
No eye irritation	OECD Test Guideline 405	rabbit	Company data
2,2'-[(4-methylpheny	l)imino]bisethanol		
Value Diak of oprious domages		Source	
Risk of serious damage	o eyes.	Company data	
1,1`-(p-Tolylimino)di	propan-2-ol		
Value		Source	
Irritant		Company data	
zation			
zardous ingredients			
zardous ingredients methyl methacrylate			
zardous ingredients	Test species mouse		Source Company data

Commercial Product Name: Bauder LiquiDETAIL W Colour 7031 10kg Article-No.: GB81002042 Revision Date: 11.03.2022 Version: 2.0/en

making roofs secure. Replaces version from: 21.09.2018 Print date: 11.03.2022

BAUDE

2-ethylhexyl acrylate	
Value	Source
Skin sensitization	Company data

Fatty acids, C18-unsatd., dimers reaction products with N,N-dimethyl-1,3-propanediamine and 1,3-propanediamine propanediamine Measuring method Source Value OECD 429 Company data

2,2'-[(4-methylphenyl)imino]bisethanol		
Value	Source	
No known effect.	Company data	

1,1`-(p-Tolylimino)dipropan-2-ol		
Value	Source	
No sensitization responses were observed.	Company data	

Carcinogenic effects

Hazardous ingredients

methyl methacrylate		
Value	Test species	Source
not a carcinogen	rat, mouse	Company data

2-ethylhexyl acrylate	
Value	Source
No known effect.	Company data

Mutagenicity

Hazardous ingredients

methyl methacrylate	
Value	Source
not mutagenic	Company data

2-ethylhexyl acrylate	
Value	Source
No known effect.	Company data

Fatty acids, C18-unsatd., dimers reaction products with N,N-dimethyl-1,3-propanediamine and 1,3- propanediamine			
Value Measuring method Source			
negative	Ames test OECD 471	Company data	

2,2'-[(4-methylphenyl)imino]bisethanol				
Value	Measuring method	Test species	Remarks	Source
negative	Ames test	Bacteria	In vitro methods	Company data

Commercial Product Name: Bauder LiquiDETAIL W Colour 7031 10kg Article-No.: GB81002042 Revision Date: 11.03.2022 Version: 2.0/en

making roofs secure. Replaces version from: 21.09.2018 Print date: 11.03.2022

BAUDE

Value negative	Source Company data	
uction toxicity zardous ingredients		
methyl methacrylate		
Value	Source	
not toxic to reproduction	Company data	
2-ethylhexyl acrylate		
Value	Source	
No known effect.	Company data	

methyl methacrylate		
Value	Source	
Causes respiratory tract irritation.	Company data	

2-ethylhexyl acrylate			
Value	Source		
Causes respiratory tract irritation.	Company data		

Specific target organ toxicity (repeated exposure) [mg/kg]

Hazardous ingredients

methyl methacrylate			
Value	Source		
No known effect.	Company data		

2-ethylhexyl acrylate	
Value	Source
No known effect.	Company data

11.2 Additional information

Experience in practice

Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting. Irritating to eyes, respiratory system and skin. Irritatingto mucous membranes

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish [mg/l]

Replaces version from: 21.09.2018 Print date: 11.03.2022

Hazardous	ingr	edier	nts
	-		-

Version: 2.0/en

methyl methacrylate						
Value	Test criterion	Test species	Measuring method	Exposure duration [h]	Source	
191 mg/l	LC50	On- corhynchus mykiss (rainbow trout)	OECD Test Guideline203	96 h	Company data	

2-ethylhexyl acrylate						
Value	Test criterion	Test species	Measuring method	Exposure duration [h]	Source	
1,81 mg/l	LC50	On- corhynchus mykiss (rainbow trout)	OECD Test Guideline203	96 h	Company data	

Fatty acids, C18-unsatd., dimers reaction products with N,N-dimethyl-1,3-propanediamine and 1,3- propanediamine					
Value	Test criterion	Test species	Measuring method	Source	
>150 mg/l	LC50	Leuciscus idus (Golden orfe)	DIN 38412	Company data	

2,2'-[(4-methylphenyl)imino]bisethanol						
Value	Test criterion	Test species	Measuring method	Exposure duration [h]	Source	
101 mg/l	LC50	Brachydanio rerio (zebra fish)	OECD Test Guideline203	96 h	Company data	

1,1`-(p-Tolylimino)dipropan-2-ol						
Value	Test criterion	Test species	Exposure dura- tion [h]	Source		
17 mg/l	LC50	Brachydanio rerio (zebra fish)	96 h	Company data		

Toxicity to daphnia [mg/l]

_	Hazard	ous	ingr	edier	Its

methyl methacrylate							
Value	Test criterion	Test species	Exposure duration [h]	Measuring method	Source		
69 mg/l	EC50	Daphnia magna (Water flea)	48 h	OECD Test Guideline202	Company data		

2-ethylhexyl acrylate						
Value	Test criterion	Test species	Exposure duration [h]	Measuring method	Source	

Commercial Product Name: Bauder LiquiDETAIL W Colour 7031 10kg Article-No.: GB81002042 Revision Date: 11.03.2022 Version: 2.0/en

making roofs secure. Replaces version from: 21.09.2018 Print date: 11.03.2022

BAUDER

1,3 mg/l EC50	Daphnia magna (Water flea)	48 h	OECD Test Guideline202	Company data
---------------	----------------------------------	------	---------------------------	--------------

aliphatic urethanacry	ate		
Value	Test criterion	Test species	Source
>100 mg/l	LC50	Daphnia magna (Water flea)	Company data

Fatty acids, C18-unsatd., dimers reaction products with N,N-dimethyl-1,3-propanediamine and 1,3- propanediamine					
Value	Test criterion	Test species	Exposure duration [h]	Measuring method	Source
>101 mg/l	EC50	Daphnia magna (Water flea)	48 h	OECD Test Guideline202	Company data

2,2'-[(4-methylphenyl)imino]bisethanol					
Value	Test criterion	Test species	Exposure duration [h]	Measuring method	Source
48 mg/l	EC50	Daphnia magna (Water flea)	48 h	OECD Test Guideline202	Company data

1,1`-(p-Tolylimino)dipropan-2-ol					
Value	Test criterion	Test species	Exposure duration [h]	Source	
28,8 mg/l	EC50	Daphnia magna (Water flea)	18 h	Company data	

Toxicity to algae [mg/l]

Hazardous ingredients

methyl meth	methyl methacrylate						
Value	Test criterion	Test species	Exposure duration [h]	Measuring method	Source		
>110 mg/l	EC50	Selenastrum capricornu- tum (green algae)	72 h	OECD Test Guideline201	Company data		

2-ethylhexyl acrylate						
Value	Test criterion	Test species	Exposure duration [h]	Measuring method	Source	
1,71 mg/l	ErC50	Desmod- esmus sub- spicatus	72 h	OECD Test Guideline201	Company data	

Fatty acids, C18-unsatd., dimers reaction products with N,N-dimethyl-1,3-propanediamine and 1,3propanediamine

Commercial Product Name: Bauder LiquiDETAIL W Colour 7031 10kg Article-No.: GB81002042 Revision Date: 11.03.2022 Version: 2.0/en

making roofs secure. Replaces version from: 21.09.2018 Print date: 11.03.2022

BAUDER

Value	Test criterion	Test species	Exposure duration [h]	Measuring method	Source
>101 mg/l	ErC50	Pseudokirch- neriella sub- capitata	72 h	OECD Test Guideline201	Company data

2,2'-[(4-methylphenyl)imino]bisethanol					
Value	Test criterion	Test species	Exposure duration [h]	Measuring method	Source
>101 mg/l	ErC50	Pseudokirch- neriella sub- capitata	72 h	OECD Test Guideline201	Company data

1,1`-(p-Tolylimino)dipropan-2-ol					
Value	Test criterion	Test species	Exposure duration [h]	Source	
245 mg/l	EC50	Desmodesmus subspicatus	27 h	Company data	

NOEC (fish) [mg/l]

Hazardous ingredients

methyl methacrylate			
Value	Test species	Measuring method	Source
9,4 mg/l	Brachydanio rerio (zebra fish)	OECD Test Guideline 210	Company data

NOEC (daphnia) [mg/l]

Hazardous ingredients

methyl methacrylate						
Value	Test species	Measuring method	Source			
37 mg/l	Daphnia magna (Water flea)	OECD Test Guideline 202	Company data			

NOEC (algae) [mg/l]

Hazardous ingredients

2-ethylhexyl acrylate			
Value	Test species	Measuring method	Source
0,45 mg/l	Desmodesmus subspicatus	OECD Test Guideline 201	Company data

12.2 Persistence and degradability

Biodegradability

Hazardous ingredients

methyl methacrylate

Value	Method of analysis	Source
Readily biodegradable.	OECD 301C/ ISO 9408/ EEC 92/69/V, C.4-F	Company data

Safety Data Sheet as per regulation (EC) 1907/2006 Commercial Product Name: Bauder LiquiDETAIL W Colour 7031 10kg Article-No.: GB81002042 Revision Date: 11.03.2022 Version: 2.0/en

Replaces version from: 21.09.2018 Print date: 11.03.2022

2-ethylhexyl acrylate	
Value	Source
Readily biodegradable.	Company data

Fatty acids, C18-unsatd., dimers reaction products with N,N-dimethyl-1,3-propanediamine and 1,3-propanediamine Value Measuring method Source Not readily biodegradable. OECD 301 Company data

2,2'-[(4-methylphenyl)imino]bisethanol	
Value	Source
Not readily biodegradable.	Company data

1,1`-(p-Tolylimino)dipropan-2-ol	
Value	Source
Poorly biodegradable.	Company data

12.3 Bioaccumulative potential

Bioaccumulation

Hazardous ingredients

methyl methacrylate	
Value	Source
Does not bioaccumulate.	Company data

2-ethylhexyl acrylate	
Value	Source
Bioaccumulation slight, log Pow 4,64	Company data

1,1`-(p-Tolylimino)dipropan-2-ol	
Value	Source
no data available	Company data

12.4 Mobility in soil

Mobility

Hazardous ingredients	
mothyl mothacrylato	

methyl methacrylate	
Mobility	Source
Terrestrial Compartment Not relevant	Company data

12.5 Results of PBT and vPvB assessment

Results of PBT characteristics determination Hazardous ingredients

Commercial Product Name: Bauder LiquiDETAIL W Colour 7031 10kg Article-No.: GB81002042 Revision Date: 11.03.2022 Version: 2.0/en

making roofs secure. Replaces version from: 21.09.2018 Print date: 11.03.2022

BAUDE

methyl methacrylate	
Value	Source
This substance is not considered to be persistent,	Company data
bioaccumulating nor toxic (PBT).	

2-ethylhexyl acrylate	
Value	Source
This substance is not considered to be persistent,	Company data
bioaccumulating nor toxic (PBT).	

aliphatic urethanacrylate		
Value	Source	
This substance is not considered to be persistent, bioaccumulating nor toxic (PBT).	Company data	

Fatty acids, C18-unsatd., dimers reaction products with N,N-dimethyl-1,3-propanediamine and 1,3propanediamine Value Source

Value	Source
This substance is not considered to be persistent, bioaccumulating nor toxic (PBT).	Company data

2,2'-[(4-methylphenyl)imino]bisethanol	
Value	Source
This substance is not considered to be persistent, bioaccumulating nor toxic (PBT).	Company data

1,1`-(p-Tolylimino)dipropan-2-ol		
Value	Source	
This substance is not considered to be persistent,	Company data	
bioaccumulating nor toxic (PBT).		

12.6 Other adverse effects

Further information on ecology We have no quantitative data concerning the ecological effects of this product.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Disposal considerations	According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. The following Waste Codes are onlysuggestions:
Waste Code	08 01 11* waste paint and varnish containing organic solvents or other dangerous substances
Uncleaned empty packaging	Empty containers should be taken for local recycling or waste disposal. Dispose of in accordance with local regulations.

Commercial Product Name: Bauder LiquiDETAIL W Colour 7031 10kg Article-No.: GB81002042 Revision Date: 11.03.2022 Version: 2.0/en Replaces version from: 21.09.2018 Print date: 11.03.2022

SECTION 14: Transport information

	Land transport ADR/RID	Marine transport IMDG	Air transport ICAO/IATA
14.1 UN-No	1263	1263	1263
14.2 Description of the	PAINT	PAINT	PAINT
goods			
UN proper shipping name		PAINT	Paint
14.3 Transport hazard class(es)	3	3	3
14.4 Packaging group		111	111
Labels	3	3	3
Risk No.	30		
Category	3		
Factor	1		
Classification Code	F1		
SP 640	640E		
Tunnel restriction code	D/E		
EmS		F-E;_S-E	
Stowage category		A	

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code Transport in bulk according to Not relevant

Transport in bulk according to Annex II of MARPOL and the IBC Code

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Additional regulations	Additionally, observe any national regulations!
Classification in compliance withthe Industrial Safety Regulation	highly flammable
GISCODE	RMA10
MAL-Code	4-5

SECTION 16: Other information

* Modifications since last version	Modifications of the previous version are denoted with an asterisk $(*)$.
Relevant H-phrases	 H225: Highly flammable liquid and vapour. H300: Fatal if swallowed. H302: Harmful if swallowed. H315: Causes skin irritation. H317: May cause an allergic skin reaction. H318: Causes serious eye damage. H319: Causes serious eye irritation.

Safety Data Sheet as per regulation (EC) 1907/2006 BAU Commercial Product Name: Bauder LiquiDETAIL W Colour 7031 10kg Article-No.: GB81002042 making roofs secure. Revision Date: 11.03.2022 Replaces version from: 21.09.2018 Version: 2.0/en Print date: 11.03.2022 H335: May cause respiratory irritation. H412: Harmful to aquatic life with long lasting effects. Wording of the hazard classes Flam. Lig.: Flammable liquid STOT SE: Specific target organ toxicity - single exposure Skin Irrit.: Skin irritation Skin Sens.: Skin sensitization Aquatic Chronic: Hazardous to the aquatic environment Eye Irrit .: Serious eye irritation Acute Tox .: Acute toxicity

Eye Dam .: Serious eye damage

* Classification for mixtures and used evaluation method according to regulation (EC) 1272/2008 [CLP]

Classification	Evaluation
Flam. Liq. 2; H225	Calculated
Skin Irrit. 2; H315	Calculated
Skin Sens. 1; H317	Calculated
STOT SE 3; H335	Calculated

Recommended restrictions

Reserved for industrial and professional use.

This information is provided in accordance with the current status of our knowledge and experience. The Safety Data Sheet describes products with a view to relevant safety requirements. This information does not constitute a warranty of properties, features or qualities.