

TECHNICAL DATA SHEET

BauderGREEN KS ALU 250 inspection chamber system

DESCRIPTION

The KS ALU 250 inspection chamber is fabricated from a perforated aluminium sheet with opening/lockable lid and is used for intensive and extensive soft landscaping, as well as ballasted inverted roofs. A simple on-site modification allows the unit to be used over outlets that are located close to wall or kerb abutments.

The KS ALU 250 is suitable for landscaping depths of less than 100mm. Where landscaping is deeper than 100mm, the 50mm or 100mm height adaptors can be added as necessary to achieve the required height to be level with or slightly proud of the surrounding landscaping.

TECHNICAL DATA:

KS ALU 250 inspection chamber

Material: 1.5mm aluminium (2mm lid)
Length: 250mm
Width: 250mm
Height: 100mm
Weight: 950g
Colour: Silver grey (RAL 9006)



KS AE 50 chamber height adaptor (50mm)

Material: 1.5mm aluminium
Length: 250mm
Width: 250mm
Height: 50mm
Weight: 250g
Colour: Silver grey (RAL 9006)



KS AE 250 chamber height adaptor (100mm)

Material: 1.5mm aluminium
Length: 250mm
Width: 250mm
Height: 100mm
Weight: 450g
Colour: Silver grey (RAL 9006)



UNITED KINGDOM

Bauder Ltd
70 Landseer Road
Ipswich Suffolk England IP3 0DH
T: +44 (0)1473 257671 E: info@bauder.co.uk
bauder.co.uk

IRELAND

Bauder Ltd
O'Duffy Centre Cross Lane Carrickmacross
Co. Monaghan Ireland
T: +353 (0)42 9692 333 E: info@bauder.ie
bauder.ie