

BauderGLAS INVERTED INSULATION REPAIR KIT

Safety data sheet as per 1907/2006 (REACH), Annex II

Revision date: 27/01/2021 Supersedes:

COMPANY UNDERTAKING

Bauder Limited
70 Landseer Road
Ipswich
Suffolk IP3 0DH England

W: bauder.co.uk
T: 01473 257671
E: info@bauder.co.uk

1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE

1.1 Product identifier

Product Form : Mixture
Trade name/designation : PC SKYFIX A2

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant identified uses

Main use category : Professional uses
Use of substance/mixture : Coating, Adhesives

1.2.2 Uses advised against

No data available

1.3 Details of the supplier of the safety data sheet

PCE-Pittsburgh Corning Europe
Albertkade 1
3980 TESSENDERLO – BELGIUM
T +32 (0) 13 661 721 – F +32 (0) 13 667 854
safetydepartment@pce.be – www.foamglas.com

1.4 Emergency telephone number

Emergency number : +32 (0) 13 661 721
Only available during office hours

Country	Official advisory body	Address	Emergency number
IRELAND	National Poisons Information Centre Beaumont Hospital	Beaumont Hospital, Beaumont Road 9 Dublin	+353 18 37 99 64/ +353 1 809 21 66
UNITED KINGDOM	National Poisons Information Centre (Newcastle Centre) Regional Drugs and Therapeutics Centre, Wolfson Unit	Claremont Place Newcastle-upon-Tyne NE1 4LP Newcastle	0844 892 0111 (UK only, Mon to Fri, 08:00 to 18:00 hrs, healthcare professionals only)

2 HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

2.2 Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Extra phrases : EUH208 – Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one. May produce an allergic reaction.
EUH210 – Safety data sheet available on request.

2.3 Other hazards

Other hazards : Results of PBT and vPvB data: Not applicable.

3 COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Not applicable

3.2 Mixtures

This mixture does not contain any substances to be mentioned according to the criteria of section 3.2 of REACH Annex II.

Substance name	Product identifier	%	Classification according to regulation (EC) No. 1272/2008 [CLP]
Cellulose	(CAS-No.) 9004-34-6 (EC-No.) 232-674-9	1-2	Not classified
1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one.	(CAS-No.) 2634-33-5 (EC-No.) 220-120-9 (EC Index) 613-088-00-6	<0,05	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Acute 1, H400

Specific concentration limits:

Substance name	Product identifier	Specific concentration limits
1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one.	(CAS-No.) 2634-33-5 (EC-No.) 220-120-9 (EC Index) 613-088-00-6	(C >= 0,05) Skin Sens. 1, H317

Full text of H-statements: see section 16

4 FIRST AID MEASURES

4.1 Description of first aid measures

Additional advice : First aider: Pay attention to self-protection. Concerning personal protective equipment to use, See section 8. Never give anything by mouth to an unconscious person. In case of doubt or persistent symptoms, always consult a physician. Show this safety data sheet to the doctor in attendance.

Inhalation : Remove person to fresh air and keep comfortable for breathing. In case of doubt or persistent symptoms, always consult a physician.

Skin contact	: Take off contaminated clothing. Gently wash with plenty of soap and water. In case of doubt or persistent symptoms, always consult a physician.
Eyes contact	: Rinse immediately carefully and thoroughly with eyebath or water (20°C-30°C). In case of doubt or persistent symptoms, always consult a physician.
In case of ingestion	: Rinse mouth out with water. Do NOT induce vomiting. If swallowed, seek medical advice immediately and show this container or label.

4.2 Most important symptoms and effects, both acute and delayed

Inhalation	: Not expected to present a significant inhalation hazard under anticipated conditions of normal use.
Skin contact	: May cause an allergic skin reaction.
Eyes contact	: Not expected to present a significant eye contact hazard under anticipated conditions of normal use. The following symptoms may occur: May cause eye irritation.
Ingestion	: Not expected to present a significant ingestion hazard under anticipated conditions of normal use.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

5 FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media	: Carbon dioxide (CO ₂), Dry extinguisher powder. Alcohol resistant foam, Water spray.
Unsuitable extinguishing media	: Strong water jet.

5.2 Special hazards arising from the substance or mixture

Specific hazards	: Not flammable. Heating causes rise in pressure with risk of bursting.
Hazardous decomposition products in case of fire	: Carbon oxides (CO, CO ₂).

5.3 Advice for firefighters

Firefighting instructions	: Evacuate area. Use water spray or fog for cooling exposed containers. Contain the extinguishing fluids by bunding. Prevent fire fighting water from entering the environment.
Protection during Firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus.
Other information	: Do not allow run-off from firefighting to enter drains or water courses. Dispose of waste in accordance with environmental legislation.

6 ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment, and emergency procedures

6.1.1 For non-emergency personnel

For non-emergency personnel

: Evacuate unnecessary personnel. Keep upwind. Provide adequate ventilation. Wear recommended personal protective equipment. Concerning personal protective equipment to use, see section 8. Avoid contact with skin, eyes, and clothing.

6.1.2 For emergency responders

: Ensure procedures and training for emergency decontamination and disposal are in place. Concerning personal protective equipment to use, see section 8.

6.2 Environmental precautions

Do not allow to enter into surface water or drains. Notify authorities if product enters sewers or public waters.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up

: Stop leak if safe to do so. This material and its containers must be disposed of in a safe way, and as per local legislation.

6.4 Reference to other sections

Concerning personal protective equipment to use, see section 8. Concerning disposal elimination after cleaning, see section 13.

7 HANDLING AND STORAGE

7.1 Precautions for safe handling

Precautions for safe handling

: Provide adequate ventilation. Use personal protective equipment as required. Concerning personal protective equipment to use, see section 8. Avoid contact with skin, eyes, and clothing. Take any precaution to avoid mixing with incompatible materials. Refer to Section 10 on Incompatible Materials. Ensure proper process control to avoid excess waste discharge (temperature, concentration, pH, time). Avoid release to the environment.

Hygiene measures

: Keep good industrial hygiene. Wash hands and other exposed areas with mild soap and water before eating, drinking, or smoking and when leaving work. Do not eat, drink, or smoke when using this product. Keep away from food, drink, and animal feeding stuffs. Remove contaminated clothing. Separate working clothes from town clothes. Launder separately. Wash contaminated clothing before re-use.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures

: Protect from freezing.

Storage conditions

: Store in a cool and well-ventilated place. Do not store near or with any of the incompatible materials listed in section 10.

Heat and ignition sources

: Keep away from open flames, hot surfaces, and sources of ignition. Keep out of direct sunlight.

Packaging materials

: Keep only in the original container.

7.3 Specific end use(s)

No data available.

8 EXPOSURE CONTROL/PERSONAL PROTECTION

8.1 Control parameters

Cellulose (9004-34-6)		
Belgium	Limit value (mg/m ³)	10 mg/m ³
Croatia	GVI (granicna vrijednost izlozenosti) (mg/m ³)	10 mg/m ³ (total dust) 4 mg/m ³ (respirable dust)
Croatia	KGVI (Kratkotrajna granicna vrijednost izlozenosti) (mg/m ³)	20 mg/m ³ (total dust)
Estonia	OEL TWA (mg/m ³)	10 mg/m ³ (respirable dust)
France	VME (mg/m ³)	10 mg/m ³
Ireland	OEL (8 hours ref) (mg/m ³)	10 mg/m ³
Ireland	OEL (15 min ref) (mg/m ³)	30 mg/m ³
Latvia	OEL TWA (mg/m ³)	2 mg/m ³
Portugal	OEL TWA (mg/m ³)	10 mg/m ³
Romania	OEL TWA (mg/m ³)	10 mg/m ³ (dust, inhalable fraction)
Spain	VLA-ED (mg/m ³)	10 mg/m ³
United Kingdom	WEL TWA (mg/m ³)	10 mg/m ³ (inhalable dust) 4 mg/m ³ (respirable dust)
United Kingdom	WEL STEL (mg/m ³)	20 mg/m ³ (inhalable dust) 12 mg/m ³ (calculated-respirable dust)
Switzerland	MAK (mg/m ³)	3 mg/m ³ (respirable dust)
Australia	TWA (mg/m ³)	10 mg/m ³ (containing no asbestos and <1% crystalline silica-inhalable dust)
Canada (Quebec)	VEMP (mg/m ³)	10 mg/m ³ (containing no asbestos and <1% crystalline silica-total dust)
USA - ACGIH	ACGIH TWA (mg/m ³)	10 mg/m ³
USA - NIOSH	NIOSH REL (TWA) (mg/m ³)	10 mg/m ³ (total dust) 5 mg/m ³ (respirable dust)
USA - OSHA	OSHA PEL (TWA) (mg/m ³)	15 mg/m ³ (total dust) 5 mg/m ³ (respirable fraction)

8.2 Exposure controls

Engineering control measures

: Provide adequate ventilation. Organisational measures to prevent/limit releases, dispersion, and exposure. Safe handling: See section 7.

Personal protective equipment

: The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Hand protection

: Wear chemically resistant gloves (tested to EN374). Suitable material: rubber gloves. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

Eye protection

: Use suitable eye protection (EN 166). Safety glasses.

Body protection	: Wear suitable protective clothing.
Respiratory protection	: Not required for normal conditions of use. In case of insufficient ventilation, wear suitable respiratory equipment. Full face mask. Filter type: ABEK+P.
Thermal hazard protection	: Not required for normal conditions of use. Use dedicated equipment.
Environmental exposure controls	: Avoid release to the environment. Comply with applicable Community environmental protection legislation.

9 PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information of basic physical and chemical properties

Physical state	: Paste.
Colour	: Grey.
Odour	: No data available.
Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Melting point/freezing point	: No data available
Freezing point	: No data available
Initial boiling point and boiling range	: No data available
Flash point	: No data available
Auto ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Not combustible
Vapour pressure	: No data available
Vapour density	: No data available
Relative density	: No data available
Solubility	: Water: Miscible.
Partition coefficient n-octanol/water	: No data available
Kinematic viscosity	: No data available
Dynamic viscosity	: No data available
Explosive properties	: Not applicable. The study does not need to be conducted because there are no chemical groups associated with explosive properties present in the molecule.
Oxidising properties	: Not applicable. The classification procedure needs not to be applied because there are no chemical groups present in the molecule which are associated with oxidising properties.
Explosive limits	: No data available

9.2 Other information

No data available

10 STABILITY AND REACTIVITY

10.1 Reactivity

Stable at ambient temperature and under normal conditions of use. Reference to other sections: 10.4 & 10.5

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames, and other ignition sources. No smoking. Safe handling. See section 7.

10.5 Incompatible materials

Safe handling. See section 7.

10.6 Hazardous decomposition products

Carbon oxides (CO, CO₂). Reference to other sections: 5.2.

11 TOXICOLOGICAL INFORMATION

11.1 Information of toxicological effects

Acute toxicity : Not classified (Based on available data, the classification criteria are not met).

Cellulose (9904-34-6)	
LD50/oral/rat	>5 g/kg
LD50/dermal/rabbit	>2000 mg/kg
LC50/inhalation/4h/rat	>5800 mg/m ³ (exposure time: 4 h)

1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one (2634-33-5)	
LD50/oral/rat	1020 mg/kg

Skin corrosion/irritation : Not classified (Based on available data, the classification criteria are not met). pH: No data available.

Serious eye damage/eye irritation : Not classified (Based on available data, the classification criteria are not met). pH: No data available.

Respiratory or skin sensitisation : Not classified (Based on available data, the classification criteria are not met).

Germ cell mutagenicity : Not classified (Based on available data, the classification criteria are not met).

Carcinogenicity : Not classified (Based on available data, the classification criteria are not met).

Reproductive toxicity : Not classified (Based on available data, the classification criteria are not met).

STOT-single exposure	: Not classified (Based on available data, the classification criteria are not met).
STOT-repeated exposure	: Not classified (Based on available data, the classification criteria are not met).
Aspiration hazard	: Not classified (Based on available data, the classification criteria are not met).
Other information	: Symptoms related to the physical, chemical, and toxicological characteristics: For further information see section 4.

12 ECOLOGICAL INFORMATION

12.1 Toxicity

Environmental properties	: According to the criteria of the European classification and labelling system, the substance/the product has not to be labelled as "dangerous for the environment".
--------------------------	---

12.2 Persistence and degradability

PC SKYFIX A2	
Persistence and degradability	No data available.

12.3 Bio accumulative potential

PC SKYFIX A2	
Partition coefficient n-octanol/water	No data available.
Bio accumulative potential	No data available.

1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one (2634-33-5)	
Partition coefficient n-octanol/water	1,3 (at 25°C)

12.4 Mobility in soil

PC SKYFIX A2	
Mobility in soil	No data available.

12.5 Results of PBT and vPvB assessment

PC SKYFIX A2	
Results of PBT assessment	No data available.

12.6 Other adverse effects

Other adverse effects	: No data available
-----------------------	---------------------

13 DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product/Packaging disposal recommendations	: Avoid release to the environment. Dispose of empty containers and wastes safely. Safe handling: see section 7. Refer to manufacturer/supplier for information on recovery/recycling. Recycling is preferred to disposal or incineration. If recycling is not possible, eliminate in
--	---

accordance with local valid waste disposal regulations. Handle contaminated packages in the same way as the substance itself. Dispose of contaminated materials in accordance with current regulations.

European waste catalogue (2001/573/EC, 75/442/EEC, 91/689/EEC),

: This material and its containers must be disposed of as hazardous waste. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities. The following waste codes are only suggestions: aqueous suspensions containing paint or varnish other than those mentioned in 08 01 19.

14 TRANSPORT INFORMATION

In accordance with ADR / RID/ IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID
14.1 UN number				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.2 UN proper shipping name				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3 Transport hazard class(es)				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4 Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5 Environmental hazards				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
No supplementary information available				

14.6 Special precautions for user

Special precautions for user : No data available

- Overland transport

Not applicable

- Transport by sea

Not applicable

- Air transport

Not applicable

- Inland waterway transport

Not applicable

- Rail Transport

Not applicable

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Code: IBC : No data available

15 REGULATORY INFORMATION

15.1 Safety, health, and environmental regulations/legislation specific for the substance or mixture

15.1.1 EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XVII restrictions

15.1.2 National regulations

France

Installations classes:

Not applicable

Germany

Reference to AwSV

: Water hazard class (WGK) nwg, Non-hazardous to water (Classification according to AwSV, Annex 1).

12th Ordinance Implementing the Federal Immission Control Act – 12.BImSchV

: Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

Netherlands

SZW-lijst van kankerverwekkende stoffen

: None of the components are listed

SZW-lijst van mutagene stoffen

: None of the components are listed

NIET-limitatieve lijst van voor de voortplanting

: None of the components are listed

Giftige stoffen – Borstvoeding

NIET-limitatieve lijst van voor de voortplanting

: None of the components are listed

Giftige stoffen – Vruchtbaarheid

NIET-limitatieve lijst van voor de voortplanting

: None of the components are listed

Giftige stoffen – Ontwikkeling

15.2 Chemical safety assessment

No chemical safety assessment has been carried out.

16 OTHER INFORMATION

Abbreviations and acronyms:

ABM = Algemene beoordelingsmethodiek
ADN = Accord Européen relatif au Transport International des Marchandises Dangere par voie de Navigation du Rhin
ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route
CLP = Classification, Labelling and Packaging Regulation according to 1272/2008/EC
IATA = International Air Transport Association
IMDG = International Maritime Dangerous Goods Code
LEL = Lower Explosive Limit/Lower Explosion Limit
UEL = Upper Explosion Limit/Upper Explosive Limit
REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals
BTT = Breakthrough time (maximum wearing time)
DMEL = Derived Minimal Effect Level

DNEL = Derived No Effect Level
EC50 = Median Effective Concentration
EL50 = Median Effective Level
ErC50 = EC50 in terms of reduction of growth rate
Erl50 = EL50 in terms of reduction of growth rate
EWC = European Waste Catalogue
LC50 = Median lethal concentration
LD50 = Median lethal dose
LL50 = Median lethal level
NA = Not applicable
NOEC = No observed effect concentration
NOEL = No observed effect level
NOELR = No observed effect loading rate
NOAEC = No observed adverse effect concentration
NOAEL = No observed adverse effect level
N.O.S. = Not Otherwise Specified
OEL = Occupational Exposure Limits – Short Term Exposure Limits (STELs)
PNEC = Predicted No Effect Concentration
QSAR = Quantitative structure activity relationship
STOT = Specific Target Organ Toxicity
TWA = Time weighted average
VOC = Volatile organic compounds
WGK = Wassergefährdungsklasse (Water Hazard Class under German Federal Water Management Act)

Sources of key data used to compile the data sheet : ECHA (European Chemicals Agency). Supplier SDS: SDS reference SGB AG CH 5405 Baden 09112018. LOLI.

Training advice : Training staff on good practice.

Other information : Assessment/classification CLP. Article 9. Calculation method.

Full text of H- and EUH-statements:

Acute Tox. 4 (Oral)	Acute toxicity Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Aquatic Acute 1
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, hazard category 1
H302	Harmful if swallowed
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H400	Very toxic to aquatic life
EUH208	Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one. May produce an allergic reaction
EUH210	Safety data sheet available on request

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment regulation (EU) 2015/830

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

Bauder reserves the right to amend information and product specifications without prior notice. All reasonable care has been taken to ensure that all data is current at the time of print, however because Bauder pursues a policy of constant development we recommend ensuring that your copy of this information is current by contacting our Technical Department at technical@bauder.co.uk

Recommendations for use should be verified as to the suitability and compliance with actual requirements, specifications, installation techniques and any applicable laws and regulations.